



COBBLESTONE

PAVERS





COBBLESTONE

Imparting classic, European elegance to paved areas with its Old World design, CobbleStone offers unique design possibilities. With rounded edges, the natural stone look is available in rectangular and square pave stones. CobbleStone can be used in various combinations for an array of exciting pattern designs.

UNITS



#476 - Twinkie 60mm



#477 - 3/4 Square 60mm



#426 - Square 60mm



#437 - Rec 60mm



#456 - Giant Rec 60mm

BUNDLED



Twinkie



Square

#447 - 2-pc Combo 60mm

BUNDLED



Twinkie




Square



Rec

#423 - 3-pc Combo 60mm

BUNDLED



3/4 Square



Trap



Wedge

#446 - Circle 60mm

Before specifying a specific product, please confirm availability with your local Keystone Hardscapes producer.



UNIT DIMENSIONS

PRODUCT		DIMENSIONS			PRODUCT #
		Width	Length	Height	
Twinkie 60mm		4.53" 115mm	2.24" 57mm	2.36" 60mm	476
¾ Square 60mm		4.53" 115mm	3.39" 86mm	2.36" 60mm	477
Square 60mm		4.53" 115mm	4.53" 115mm	2.36" 60mm	426
Rec 60mm		4.53" 115mm	6.77" 172mm	2.36" 60mm	437
Giant Rec 60mm		6.77" 172mm	10.16" 258mm	2.36" 60mm	456
2-pc Combo 60mm	Twinkie	4.53" 115mm	2.24" 57mm	2.36" 60mm	447
	Square	4.53" 115mm	4.53" 115mm		

PRODUCT		DIMENSIONS			PRODUCT #
		Width	Length	Height	
3-pc Combo 60mm	Twinkie	4.53" 115mm	2.24" 57mm	2.36" 60mm	423
	Square	4.53" 115mm	4.53" 115mm		
	Rec	4.53" 115mm	6.77" 172mm		
Circle 60mm	¾ Square	4.53" 115mm	3.39" 86mm	2.36" 60mm	446
	Trap	4.53" 115mm	4.06" 103.2mm		
	Wedge	4.53" 115mm	4.76" 120.9mm		

FEATURES & BENEFITS

Perfect For:

- Light vehicular applications.
- Made of durable concrete with iron oxide pigments that will not fade with extended UV exposure. Meets or exceeds applicable requirements of ASTM C936.

Ease of Installation

- Joints and surfaces are designed to create a natural look, minimize furniture wobble, and meet ADA gap and lippage requirements.
- A variety of shapes provide maximum creative flexibility for decorative installation patterns ranging from fans to bogens.

Aesthetics

- Deeply rounded surfaces combine to create the enduring appeal of stone cobbles formed by glaciers and set by hand.

Note: Unit color, dimensions, weight, and availability varies by manufacturer.



PATIOS




DRIVEWAYS



POOL DECKS



LIGHT
VEHICULAR



INSTALLATION INSTRUCTIONS

STEP 1: Excavate unsuitable, unstable or unconsolidated subgrade material and compact the area which has been cleared. Backfill and level with dense graded aggregate suitable for base material - typically minimum 4-8 inches thick (101.6mm - 203.2mm). Compact base to optimum moisture/density or as otherwise directed by Site Engineer/Architect/Landscape Architect.

STEP 2: Place bedding course of washed sand conforming to the grading requirements of ASTM C 33 to a maximum uniform depth of 1-1½ inch (25-38mm). Screed to the grade and profile required.

STEP 3: Install CobbleStone with joints to a nominal ⅛ inch (3mm).

STEP 4: Where required, cut pavers with an approved cutting device to fit accurately, neatly and without damaged edges.

STEP 5: Use a low-amplitude plate compactor capable of at least minimum of 4,000 lbf (18 kN) at a frequency of 75-100 Hz to vibrate the pavers into the sand. Remove any cracked or damaged pavers and replace with new units.


STEP 6: Post compaction, spread and sweep dry ASTM C 33 or ASTM C 144 sand over the entire paving area.

STEP 7: Make one more pass with the plate compactor to completely fill the joints with sand.


STEP 8: Sweep paver surface clean for final acceptance by owner/owner's agent.

NOTE: Colors are shown as accurately as possible in brochures and samples, but due to the nature of the product, regional color differences and variables in print reproduction, colors may not match exactly. For best results in maintaining color consistency, pavers must be installed from several cubes at a time. Efflorescence, a whitish, powder-like deposit, may appear on concrete pavers. This is a natural occurrence in any concrete product and will usually wear off over time.


TYPICAL CROSS SECTION OF
CONCRETE PAVE STONE INSTALLATION



INSTALLATION PATTERNS



Random Runner



Random Mosaic

Complete installation and specification details are available by contacting your Keystone Hardscapes Sales Representative.



www.keystonehardscapes.com

FOLLOW US





Bowman
Construction
Supply Inc.



Quick
Supply Co.



Cascade
GEOSYNTHETICS

LOCATIONS & CONTACT INFO

ASP ENTERPRISES

aspent.com
salesasp@aspent.com

BOWMAN CONSTRUCTION SUPPLY

bowmanconstructionsupply.com
salesbcs@bowmanconstructionsupply.com

QUICK SUPPLY CO.

quicksupplyco.com
salesquick@quicksupplyco.com

CASCADE GEOSYNTHETICS

cascadegeos.com
salescascade@cascadegeos.com

St. Louis, MO 636.343.4357
Omaha, NE 402.861.8579
Kansas City, MO 816.554.1191
Wichita, KS 316.393.1554

Denver, CO 303.696.8960
Colorado Springs, CO 719.257.7840
Loveland, CO 970.535.0863

Des Moines, IA
515.289.1271

Portland, OR
971.339.1020

SOLUTIONS WE SUPPLY

GEOSYNTHETICS

Filter Fabrics

Stabilization Fabrics

Geogrids

- Road Grids
- Wall Grids
- Slope Stabilization

Specialty Fabrics

Composite Geomembranes

- GCLs, PVC, HDPE, LLDPE, EPDM, Granular Bentonite

SEDIMENT CONTROL

Inlet Protection

- Grated Inlet, Curb Inlet, Area Inlet Protection

Ditch Checks

- Triangle Silt Dike
- GeoRidge

Perimeter Protection

- High and Low-Porosity Silt Fence, Straw Wattles, Silt Socks
- Safety Fence

Flocculants & Water Treatment

- Polymer-Based & Natural Flocculants

Sediment Basin Skimmers

Dewatering Bags

Trackout Control

- FODS
- Rumble Grates

Turbidity Curtains

EROSION CONTROL

Basic Hydraulically Applied Mulches

- Wood
- Paper
- Blends
- Straw

High-Performance Hydraulically

Applied Products

- BFM
- FGM
- Additives & Tackifiers

Temporary Erosion Control Blankets

- Coir & Jute Mat/Nettings
- Short-Term ECBs
- Extended-Term ECBs

Permanent Erosion Control Blankets

- Turf Reinforcement Mats
- HP-TRMs
- Anchor Reinforced Vegetation System

Structural BMPs

- Transition Mats
- Geoweb Cellular Confinement
- Composite Vegetated Armor System
- Flex MSE Vegetated Wall System
- Articulated Concrete Block
- Gabions
- Grout-Filled Geotextile Mats

Vegetation Establishment

- Native Seed & Turf Seed
- Fertilizers
- Organic Soil Additives
- Stratavault Soil Cells

STORMWATER MANAGEMENT

Water Quality

- Inlet Filter Boxes
- Pre-Treatment Chamber
- Nutrient Separating Baffle Boxes
- High-Flow Biofiltration Media
- Hydrodynamic Separators
- Stratavault

Water Quantity

- Modular Underground Storage Systems
- Chamber Detention Systems

Drainage

- HDPE Swale Liner
- Pipe & Fittings
- Drainage Composites
- Strip Drain

Inlet Structures

- PVC
- Drain Basins, In-Line Drains
- Landscape

Permeable Pavers

- Permeable Articulating Concrete Block
- Grass Pavers
- Gravel Pavers
- Concrete Pavers

SPECIALTY

Natural & Synthetic Coir Fiber Logs

Vegetated Reinforced Soil Slopes

Soil Anchors

Root Barrier System

AquaBlok

Muscle Wall

We are full line distributors of construction materials for all project types. Contact us for assistance with a project. From specification and development to installation and completion, we're here to help with all of your site solution needs.

GEOSYNTHETICS | EROSION CONTROL | STORMWATER MANAGEMENT
SEDIMENT CONTROL | REVEGETATION & SOIL AMENDMENTS