



SHEARFORCE™

10

ShearForce™ 10 Hybrid-Turf Instant Armor Mat

This new, patent pending erosion control product is an immediately effective, lower cost soft armor alternative to rock riprap and other hard armor materials. The ShearForce10 Instant Armor Mat utilizes simulated turf to effectively protect, grow and permanently reinforce natural vegetation in high flow areas. Providing rock-solid armoring from day one of installation, the ShearForce10 makes it possible to use more vegetation and less rock for stabilizing channels, slopes and shorelines. ShearForce10 is available in 3 feet wide and 6 feet wide rolls for quick and easy installation.



*ShearForce10
provides immediately
effective erosion
protection under water
flow powerful enough
to wash out 24-inch
rock riprap*



ShearForce10 offers the performance of reinforced turf and large rock riprap from day one of installation.

Proven in ASTM D6460 Unvegetated Channel Testing to drastically reduce soil erosion at flow-induced shear stresses exceeding 11 lbs/sf, ShearForce10 offers more than three times the immediate channel protection of conventional TRMs.

Once vegetated, ShearForce10 permanently protects the soil base, reinforces vegetation roots and increases the long term erosion resistance of the vegetated system.

www.insta-turf.com





ShearForce10 installation in channel vs rock riprap.



SHEARFORCETM 10

www.Insta-Turf.com

Features and Benefits of ShearForce10 Hybrid-Turf Instant Armor mats include:

- Reinforced turf performance from day one, no waiting on vegetation for effective erosion protection at shear stress > 10 lbs/sf
- Immediate to permanent erosion control equivalent to large rock riprap and other hard armor, at less than ½ the cost
- Simple installation, just lay it and anchor it over seeded area, no heavy equipment required
- Aesthetically pleasing, green grassed-in finished look
- Environmentally friendly, facilitates water filtration and infiltration
- Highly UV stable and weather resistant, for permanent strength and durability
- Easy, low-cost maintenance with standard mowing equipment



Typical Applications for ShearForce10 mats:

- High flow channels and extreme slopes requiring maximum erosion protection before, during and after vegetation establishment, including channels with constant low-flow discharge
- Drainage swales and slopes where an immediate vegetated look is desired and/or vegetation is slow to establish
- Projects in arid areas where vegetation establishment is very slow and sparse
- Overwinter project protection requiring several months of high performance erosion control without vegetation
- Moderate flow culvert outfalls, downchutes, spillways and dams
- Detention basins, lake shorelines, streambanks, canals, and levees

Recommended Design Values

ShearForce™10 Hybrid-turf Instant Armor Mat	Channels/Outfalls/Spillways/Streambanks*					Slopes	Shorelines
	Manning's n	Design Shear Stress		Design Velocity		Max Gradient (h:v)	Max Wave Height
		Cohesive Soils	Non- Cohesive Soils	Cohesive Soils	Non- Cohesive Soils		
ShearForce10 <i>Unvegetated</i>	.025 – .040	12 lbs/sf	10 lbs/sf	25 ft/sec	20 ft/sec	>1:1	<=1.0 ft
ShearForce10 <i>Vegetated</i>	.025 – .4	16 lbs/sf	14 lbs/sf	30 ft/sec	25 ft/sec	>1:1	<=1.5 ft

* Design values are derived from ASTM D6460 large-scale channel testing on loam soils under 4 consecutive 30 min flow events in 20% gradient test flumes. A safety factor (SF) of 1.25 - 2.0 may be applied in channel lining designs to account for longer flow durations, more erodible soils, and varying side-slope gradients.

Permanent Soft Armor Mats Permissible Shear Stress Ratings vs Rock Riprap





Table #2

Soil Loss vs Shear Stress

in ASTM D6460 Large-Scale Channel Testing of **Unvegetated** Turf Reinforcement and Erosion Control Mats (.5 inch Cumulative Soil Loss Failure Criteria)



Sources – NOTE: All referenced large-scale channel tests conducted at TRI Environmental's Denver Downs Research Facility using ASTM D6460 testing protocol or modified versions thereof.

GrassWorx, LLC., 2018. ASTM D6460 Channel Testing of InstaTurf ShearForce10 EC TRM and ShearForce12 Scour Control Mats in 20% Test Flumes, August, October and December, 2018.

Motz Enterprises, 2018. Large-Scale Channel Erosion Testing of Flexamat Channel Lining, February, 2009.

AASHTO-NTPEP Large-Scale Channel Erosion Testing of North America Green's C350 Triple Net Coconut Mat, August, 2011. (Amended April, 2016.)

AASHTO-NTPEP Large-Scale Channel Erosion Testing of Western Excelsior's PP5-10, Double Net Poly Fiber Matting, May, 2014.

AASHTO-NTPEP Large-Scale Channel Erosion Testing of East Coast Erosion Control's T-RECS Permanent Turf Reinforcement mat, February, 2013. (Amended April, 2016.)

GET A QUOTE: Contact Tim Lancaster 812-483-1532, tim.lancaster@grassworxllc.com or go to www.insta-turf.com to find your local InstaTurf distributor



Bowman
Construction
Supply Inc.



Quick
Supply Co.



Cascade
GEOSYNTHETICS

LOCATIONS & CONTACT INFO

ASP ENTERPRISES

aspent.com
salesasp@aspent.com

BOWMAN CONSTRUCTION SUPPLY

bowmanconstructionsupply.com
salesbcs@bowmanconstructionsupply.com

QUICK SUPPLY CO.

quicksupplyco.com
salesquick@quicksupplyco.com

CASCADE GEOSYNTHETICS

cascadegeos.com
salescascade@cascadegeos.com

St. Louis, MO 636.343.4357
Omaha, NE 402.861.8579
Kansas City, MO 816.554.1191
Wichita, KS 316.393.1554

Denver, CO 303.696.8960
Colorado Springs, CO 719.257.7840
Loveland, CO 970.535.0863

Des Moines, IA
515.289.1271

Portland, OR
971.339.1020

SOLUTIONS WE SUPPLY

GEOSYNTHETICS

Filter Fabrics

Stabilization Fabrics

Geogrids

- Road Grids
- Wall Grids
- Slope Stabilization

Specialty Fabrics

Composite Geomembranes

- GCLs, PVC, HDPE, LLDPE, EPDM, Granular Bentonite

SEDIMENT CONTROL

Inlet Protection

- Grated Inlet, Curb Inlet, Area Inlet Protection

Ditch Checks

- Triangle Silt Dike
- GeoRidge

Perimeter Protection

- High and Low-Porosity Silt Fence, Straw Wattles, Silt Socks
- Safety Fence

Flocculants & Water Treatment

- Polymer-Based & Natural Flocculants

Sediment Basin Skimmers

Dewatering Bags

Trackout Control

- FODS
- Rumble Grates

Turbidity Curtains

EROSION CONTROL

Basic Hydraulically Applied Mulches

- Wood
- Paper
- Blends
- Straw

High-Performance Hydraulically

Applied Products

- BFM
- FGM
- Additives & Tackifiers

Temporary Erosion Control Blankets

- Coir & Jute Mat/Nettings
- Short-Term ECBs
- Extended-Term ECBs

Permanent Erosion Control Blankets

- Turf Reinforcement Mats
- HP-TRMs
- Anchor Reinforced Vegetation System

Structural BMPs

- Transition Mats
- Geoweb Cellular Confinement
- Composite Vegetated Armor System
- Flex MSE Vegetated Wall System
- Articulated Concrete Block
- Gabions
- Grout-Filled Geotextile Mats

Vegetation Establishment

- Native Seed & Turf Seed
- Fertilizers
- Organic Soil Additives
- Stratavault Soil Cells

STORMWATER MANAGEMENT

Water Quality

- Inlet Filter Boxes
- Pre-Treatment Chamber
- Nutrient Separating Baffle Boxes
- High-Flow Biofiltration Media
- Hydrodynamic Separators
- Stratavault

Water Quantity

- Modular Underground Storage Systems
- Chamber Detention Systems

Drainage

- HDPE Swale Liner
- Pipe & Fittings
- Drainage Composites
- Strip Drain

Inlet Structures

- PVC
- Drain Basins, In-Line Drains
- Landscape

Permeable Pavers

- Permeable Articulating Concrete Block
- Grass Pavers
- Gravel Pavers
- Concrete Pavers

SPECIALTY

Natural & Synthetic Coir Fiber Logs

Vegetated Reinforced Soil Slopes

Soil Anchors

Root Barrier System

AquaBlok

Muscle Wall

We are full line distributors of construction materials for all project types. Contact us for assistance with a project. From specification and development to installation and completion, we're here to help with all of your site solution needs.

GEOSYNTHETICS | EROSION CONTROL | STORMWATER MANAGEMENT
SEDIMENT CONTROL | REVEGETATION & SOIL AMENDMENTS