
SIENA STONE™

UNILOCK'
TECH SHEET

THICKNESS 185MM

REGION CHICAGO





UNILOCK Exclusive Technologies

ENDURACOLOR

EASYCLEAN



COLORS



SIERRA FINISH: CLASSIC





COPING

1,000mm x 185mm x 500mm 39 3/8" x 7 3/8" x 19 3/4"

NEVADA FINISH: CLASSIC





COPING

1,000mm x 185mm x 500mm 39 3/8" x 7 3/8" x 19 3/4"

GRANITE FINISH: CLASSIC






COPING

1,000mm x 185mm x 500mm 39 3/8" x 7 3/8" x 19 3/4"



TYPICAL CROSS SECTION

Note: Base, screed bed, infill aggregates and or reinforcements may vary based on project requirements or as specified by engineer.







	COPING
UNIT THICKNESS (MM)	185
LAYERS PER BUNDLE	3
FCFT PER BUNDLE	12
FCFT PER LAYER	4
FCFT PER UNIT	2
UNITS PER BUNDLE	6
UNITS PER LAYER	2
LBS PER BUNDLE	2,756
LBS PER LAYER	918.67
LBS PER UNIT	459.33

INSTALLATION NOTES



SienaStone™

SienaStone is an engineered large module (min 500 lbs/250 kg ea.) retaining wall system with incredible capacities for both gravity walls and reinforced walls. SienaStone is mostly used in commercial applications or in residential applications where higher and stronger structural walls must be constructed.

Applications – Structural retaining walls for large embankments.

Capacity - Gravity walls up to 13' (4m). Geogrid reinforced walls up to 39 ft. (12m).

Recommended Base Stabilization – one layer of DriveGrid™ stabilization grid between subgrade and base material. Use under Standard Base or Permeable Base.

Standard Base – Min. 6" - 8" of 34" Crusher Run gravel (any road base standard in accordance with ASTM-D2940) compacted to 98% Standard Proctor Density (SPD).

Alternative Permeable Base – Min. 6" - 8" of 3/4" clear open-graded stone compacted to achieve full particle lock-up and consolidation. (Clear open-graded does not compact but does consolidate slightly by rattling the particles together.)

Leveling – Install SienaStone directly on a compacted granular base. Install level end to end as well as front to back. Poured concrete leveling pads, reinforced with rebar, are also a great way to accomplish leveling, especially for larger installations. You must ensure that the concrete is poured and finished perfectly in order to achieve a good visual appearance.

Connection – features a tongue and groove connection. Use appropriate concrete adhesive for connection between units where the key has been removed or for corners. Always read adhesive manufacturers' directions prior to gluing.

Handling - This is a mechanically placed wall system. Special clamps for lifting are available for use during project.

Coping - This wall requires the SienaStone specific coping. Coping attaches with tongue and groove connection. No adhesive required.

Unilock reserves the right to change product information without notice.

PDF Generated May 15, 2025











DISTRIBUTED BY:

ASP Enterprises, Quick Supply Co., Bowman Construction Supply & Cascade Geosynthetics are sister companies that serve customers from the Midwest, across the Rocky Mountains to the Pacific Northwest. Together we supply customers with a variety of environmental construction materials including erosion and sediment control, geosynthetics, stormwater management, drainage products, hardscapes and outdoor living, revegetation and soil amendments, waterproofing solutions and more.



We are full line distributors of environmental construction materials for all project types. Contact us for assistance with a project or a quote on products. From specification recommendations and project development to installation and completion, we're here to help with all of your site solution needs. Our warehouses are stocked with readily available inventory and we offer same and next-day deliveries.

ASP ENTERPRISES

aspent.com

salesasp@aspent.com

ST. LOUIS

1099 Cassens Industrial Ct. St. Louis, MO 63026 636-343-4357

KANSAS CITY

5301 E 59th St. Kansas City, MO 64130 816-554-1191

ОМАНА

15263 Cooper St. Omaha, NE 68138 402-861-8579

WICHITA

316-393-1554

WENTZVILLE

1906 E Service Rd. HWY 61 N Wentzville, MO 63385 636-445-9090

QUICK SUPPLY CO.

quicksupplyco.com

salesquick@quicksupplyco.com

DES MOINES

6620 NW Toni Dr. Des Moines, IA 50313 515-289-1271

BOWMAN CONSTRUCTION SUPPLY

bowmanconstructionsupply.com

salesbcs@bowmanconstructionsupply.com

DENVER

10801 E. 54th Ave. Denver, CO 80239 303-696-8960

COLORADO SPRINGS

1830 Palmer Park Blvd. Colorado Springs, CO 80909 719-257-7840

LOVELAND

4495 Woods Ave. Loveland, CO 80538 970-535-0863

CASCADE GEOSYNTHETICS

cascadegeos.com

salescascade@cascadegeos.com

PORTLAND

3610 N. Suttle Rd. Bldg B Portland, OR 97217 971-339-1020

SALT LAKE CITY

425 N. Neil Armstrong Rd. Salt Lake City, UT 84116 435-276-0820