# SAFETY DATA SHEET

### **SECTION 1: IDENTIFICATION**

Other Means of CretePRO™ ULTRA Waterproofing Agent,

Identification: CretePRO™ ULTRA PLUS Waterproofing Agent,

**CretePRO™ FasTrac** 

**Product Type:** Modified subsurface waterproofing

Product Number: CPD-250005, CPD-250055, CPD-2500275, CPD-U005, CPD-U055, CPD-U275, CPD-FST005,

CPD-FST055, & CPD-FST275

Identified Uses: Concrete waterproofing

MBC North America Inc.™ dba Alchemco®

Supplier / Manufacturer: 3532 Mayland Court, Henrico, VA 23233

800-601-2895

**Emergency Telephone** 

Number:

+1-800-424-9300 24 hours



**Hazard Classification:** Skin Irritant 2, Eye irritant 2

Signal Word(s): Warning

Acute toxicity-oral: Category 5 HS315: May be harmful in contact with skin

Hazard Statements: HS85: May be harmful if swallowed

H320: May cause eye irritation

H335: May cause respiratory irritation

**Pictograms:** 





P262 Do not get in eyes P264 Wash contaminated skin

Precautionary Statements: thoroughly after handling P27 Do not eat, drink or smoke

when using this product.

**Description of other** 

hazards:

Not otherwise classified

## **SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS**

Substance/Mixture: Proprietary Ingredient

CAS Number / Other Identifiers: #1344-09-08

CHEMICAL NAMESYNONYMCAS#CONCENTRATION %Proprietary IngredientNoneProprietary Ingredient5-40%Water ( $H_2O$ )None7732-18-55-60%

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, with the current knowledge of the supplier and in the concentrations applicable are classified as hazardous to health or the environment and hence require reporting in this section. Occupational exposure limits, if available, are listed in Section 8.

#### Version 2.0 12062024

© Copyright December 6, 2024 MBC North America Inc.™ dba Alchemco®. All Rights Reserved 3532 Mayland Court, Henrico, VA 23233 | 800-610-2895 | www.alchemco.com

1

# SAFETY DATA SHEET

## **SECTION 4: FIRST AID MEASURES**

This product is an Alkaline, it can be irritating to the eyes and skin. The toxicity of this product is dependent on the silica to alkali ratio and on the pH. Obtain immediate medical attention.

After skin contact: Wash affected skin with plenty of water. If symptoms develop, obtain medical attention.

Irrigate with eyewash solution or clean water, holding the eyelids apart, for at least 15 After eye contact:

minutes. Obtain immediate medical attention.

After inhalation: Remove patient from exposure, keep warm and at rest. Obtain medical attention.

After swallowing Do not induce vomiting. Wash out mouth with water and give 200-300 ml (half a pint) of

water to drink. Obtain medical attention.

## **SECTION 5: FIRE FIGHTING MEASURES**

Suitable extinguishing agents: Compatible with all standard fire fighting techniques.

Advice for fire-fighters: None

Special Protective equipment for firefighters:

# SECTION 6: ACCIDENTAL RELEASE MEASURES

Wear suitable protective clothing. Wear eye/face protection Personal precautions:

Do not allow to enter drains, sewers or watercourses. Advise Authorities if Measures for environmental protection:

spillage has entered water course or sewer or has contaminated soil or

Not applicable. Aqueous solution. Non-combustible.

vegetation.

Caution - spillages may be slippery. Contain spillages with sand, earth or any Measures for cleaning / collecting:

suitable adsorbent material. Transfer to a container for disposal or recovery.

### **SECTION 7: HANDLING AND STORAGE**

Avoid contact with eyes, skin and clothing. Avoid generation of mist. Provide adequate ventilation. Handling:

Emergency shower and eye wash facilities should be readily available.

Store in a cool dry environment. Keep at temperature not exceeding 122 °F (50 °C). Provide adequate Storage:

bund wall. See also section 10.

# SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Substance **Occupational Exposure Limits** 

No Occupational Exposure limit assigned. An exposure limit of 2 mg/m<sup>3</sup> (15 min **Proprietary Ingredient:** 

TWA) is recommended.

Engineering methods to prevent or control exposure are preferred. Methods

include process or personnel enclosure, mechanical ventilation (dilution

and local exhaust), and control of process conditions.

Respiratory protection not normally required. Advice on respiratory protective **Breathing equipment:** 

equipment is given in the HSE (Health and Safety Executive) publication HS(G)53.

**Eye/Face Protection:** Chemical goggles (En166)

Appropriate engineering controls:

Version 2.0 12062024

© Copyright December 6, 2024 MBC North America Inc.™ dba Alchemco®. All Rights Reserved 3532 Mayland Court, Henrico, VA 23233 | 800-610-2895 | www.alchemco.com

2

# SAFETY DATA SHEET

**Skin Protection:**Wear suitable protective clothing and gloves. Plastic or rubber gloves. For example

EN374-3, level 6 breakthrough time (>480min). Wear suitable overalls.

**Environmental Exposure Controls:** The primary hazard is alkalinity. Avoid release to the environment.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES** 

Form: Liquid. Almost colorless

Odor: Odorless

Odor threshold: Not applicable

pH: Alkaline

Melting pint / melting

range:

Not Applicable

**Boiling point / boiling** 

212°F (100°C)

range:

Flash point: Not applicable

**Evaporation rate:** Not Applicable

Flammability: Not Applicable

**Explosive limits:** Not Applicable

Auto ignition temperature: Not Applicable

**Danger of explosion:** Not Applicable

**Vapor pressure:** Not Applicable

Vapor density: Not Applicable

Relative density: Not Applicable

Solubility in / miscibility

Possibility of Hazard:

Conditions to avoid:

with water:

No Data

## **SECTION 10: PHYSICAL AND CHEMICAL PROPERTIES**

**Reactivity:** See section below

Chemical Stability: Stable

When arc welding vessels containing aqueous solutions of this material, take

care to control any explosion risk from hydrogen evolved by electrolysis.

Aqueous solutions will react with aluminum, zinc, tin and their alloys evolving

hydrogen gas which can form an explosive mixture with air. Can react violently if i contact with acids. Can react with sugar residues to form carbon monoxide.

See section above

**Incompatible Materials:** See section above

Hazardous decomposition products: None known.

Version 2.0 12062024

# SAFETY DATA SHEET

### **SECTION 11: TOXICOLOGY INFORMATION**

Material will cause irritation. Dermal LD50 (rat) >5000 mg/kg bw Skin:

Mist is irritant to the respiratory tract. All symptoms of acute toxicity are due to high Inhalation:

alkalinity. Inhalation LC50 (rat) >2.06 g/m<sup>3</sup>

Material will cause irritation. Eyes:

All symptoms of acute toxicity are due to high alkalinity. Material will cause irritation. Oral Ingestion:

LD50 (rat) 3400 mg/kg bw

Carcinogenic effects: No structural alerts **Mutagenic effects:** No structural alerts.

Reproductive toxicity: No evidence of reproductive toxicity or developmental toxicity.

Sensitization: Not sensitizing. **Aspiration Hazard:** Not classified

## **SECTION 12: ECOLOGICAL INFORMATION (NON-MANDATORY)**

Fish (Brachydanio rerio) LC50 (96 hour) 1108 mg/l Aquatic invertebrates: (Daphnia magna) EC50 **Eco toxicity:** 

(48 hour) 1700 mg/l

Not applicable Mobility:

Inorganic. Soluble silicates, upon dilution, rapidly depolymerise into molecular species **Biodegradation:** 

indistinguishable from natural dissolved

The alkalinity of this material will have a local effect on ecosystems sensitive to changes in pH. **Bio accumulation:** 

## SECTION 13: DISPOSAL CONSIDERATIONS (NON-MANDATORY)

Dispose of this material and its container to hazardous or special waste collection point. This material is classified as hazardous waste under EC Directive 2008/98/EC. This material is classified as hazardous waste under the Hazardous Waste (England and Wales) Regulations SI 2005 No. 894. This material is classified as hazardous waste under the Hazardous Waste (England and Wales) Regulations SI 2005 No. 894. Disposal should be in accordance with local, state or national legislation.

## **SECTION 14: TRANSPORTATION INFORMATION (NON-MANDATORY)**

Not classified according to the United Nations 'Recommendations on the Transport of Dangerous Goods'. Not classified as hazardous under DOT or US Transport Recommendations.

Not applicable

International Maritime Dangerous Goods (IMDG) Code: Not classified as hazardous

Not applicable D.O.T. regulations: **Hazard Class:** Not applicable Land transport ADR /RID (cross border): Not applicable

Not classified as a Marine Pollutant Maritime transport IMDG:

Air transport ICAO-TI and IATA-DGR: Not applicable



ADR / RID class:

Version 2.0 12062024

© Copyright December 6, 2024 MBC North America Inc.™ dba Alchemco®. All Rights Reserved 3532 Mayland Court, Henrico, VA 23233 | 800-610-2895 | www.alchemco.com

**DSL/NDSL Inventory Status:** 

# SAFETY DATA SHEET

# **SECTION 15: REGULATORY INFORMATION (NON-MANDATORY)**

TSCA Inventory Status: Reported/Included
AICS Inventory Status: Reported/Included

Reported/Included. SARA TITLE III: Not an Extremely Hazardous Substance

under §302. Not a Toxic Chemical under §313. Hazard Categories under

§§311/312: Acute

Chemical Safety Assessment: Information available upon request.

## **SECTION 16: OTHER INFORMATION**

Date of Issue:

12/06/2024

Version:

2.0

Supersedes:

All previously issued dates

**Prepared** 

Alchemco® Compliance Department

by:

Liability Disclaimer: This Safety Data Sheet (SDS) is for guidance and is based upon information believed to be reliable. The data should not be confused with local, state, federal, or insurance mandates, regulations, or requirements and CONSTITUTE NO WARRANTY. The conditions or methods of handling, storage, use, and disposal of the product(s) described are beyond the control of Alchemco® and may be beyond our knowledge. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE, OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE, OR DISPOSAL OF THESE PRODUCTS.

Warranty Disclaimer: Alchemco® disclaims liability, under any theory of law, arising out of the installation and performance of, or damages sustained by, or caused by products not furnished by Alchemco® or any prior existing material. The remedies provided are the sole and exclusive remedies for failure of the products. Warranties issued by Alchemco® are expressly in lieu of any other warranties, express or implied, including any implied warranties of merchantability or fitness for a particular purpose. Alchemco® shall have no liability under any theory of law for any claims, repairs, restoration, or other damages, including, but not limited to, consequential or incidental damages, relating directly or indirectly to the presence of any irritants, contaminants, vapors, fumes, or the like in any building or in the air, land, or water serving any building. No representative of Alchemco® has the authority to make any representations or promises except as stated in the published warranty









# **LOCATIONS & CONTACT INFO**

### **ASP ENTERPRISES**

aspent.com

salesasp@aspent.com

St. Louis, MO Omaha, NE 636.343.4357 402.861.8579

Kansas Citv. MO 816.554.1191

Wichita, KS 316.393.1554

**BOWMAN CONSTRUCTION SUPPLY** bowmanconstructionsupply.com

salesbcs@bowmanconstructionsupply.com salesquick@quicksupplyco.com

Denver, CO Colorado Springs, CO

303.696.8960 Loveland, CO 970.535.0863

**OUICK SUPPLY CO.** 

quicksupplyco.com

Des Moines, IA 515.289.1271

**CASCADE GEOSYNTHETICS** 

cascadegeos.com

salescascade@cascadegeos.com

Portland, OR 971.339.1020

# **SOLUTIONS WE SUPPLY**

#### **GEOSYNTHETICS**

Filter Fabrics

Stabilization Fabrics

# Geogrids

- Road Grids
- Wall Grids
- Slope Stabilization

#### **Specialty Fabrics**

## **Composite Geomembranes**

• GCLs, PVC, HDPE, LLDPE, EPDM, Granular Bentonite

#### **SEDIMENT CONTROL**

#### **Inlet Protection**

· Grated Inlet, Curb Inlet, Area Inlet Protection

#### **Ditch Checks**

- · Triangle Silt Dike
- GeoRidge

#### **Perimeter Protection**

- · High and Low-Porosity Silt Fence, Straw Wattles, Silt Socks
- Safety Fence

### Flocculants & Water Treatment

Polymer-Based & Natural Flocculants

## Sediment Basin Skimmers

**Dewatering Bags** 

#### **Trackout Control**

- FODS
- Rumble Grates

## **Turbidity Curtains**

#### **EROSION CONTROL**

719.257.7840

### **Basic Hydraulically Applied Mulches**

- Wood
- Paper
- Blends
- Straw

### **High-Performance Hydraulically Applied Products**

- FGM
- · Additives & Tackifiers

### **Temporary Erosion Control Blankets**

- Coir & Jute Mat/Nettings
- Short-Term ECBs
- Extended-Term ECBs

### **Permanent Erosion Control Blankets**

- Turf Reinforcement Mats
- HP-TRMs
- Anchor Reinforced Vegetation System

#### Structural BMPs

- Transition Mats
- Geoweb Cellular Confinement
- Composite Vegetated Armor System
- Flex MSE Vegetated Wall System
- Articulated Concrete Block
- Gabions
- · Grout-Filled Geotextile Mats

#### Vegetation Establishment

- · Native Seed & Turf Seed
- Fertilizers
- · Organic Soil Additives
- Stratavault Soil Cells

## STORMWATER MANAGEMENT

### Water Quality

- Inlet Filter Boxes
- Pre-Treatment Chamber
- Nutrient Separating Baffle Boxes
- · High-Flow Biofiltration Media
- · Hydrodynamic Separators
- Stratavault

## Water Ouantity

- · Modular Underground Storage Systems
- Chamber Detention Systems

### Drainage

- HDPE Swale Liner
- Pipe & Fittings
- · Drainage Composites
- Strip Drain

### **Inlet Structures**

- PVC
- · Drain Basins, In-Line Drains
- Landscape

# Permeable Pavers

- Permeable Articulating Concrete Block
- Grass Pavers
- · Gravel Pavers
- Concrete Pavers

#### **SPECIALTY**

Natural & Synthetic Coir Fiber Logs **Vegetated Reinforced Soil Slopes** Soil Anchors **Root Barrier System** AquaBlok Muscle Wall

We are full line distributors of construction materials for all project types. Contact us for assistance with a project. From specification and development to installation and completion, we're here to help with all of your site solution needs.