SOLAR SECURING SOLUTIONS

Cable Bracing & Tensioning





FALC®N LOCK GRIP™









FALC®N LOCK GRIP™

Cable Bracing and Tensioning

The Falcon Lock Grip LG-3 is designed to provide a two-way grip of wire rope for a variety of bracing applications including solar applications. The LG-3 can be used to couple wire ropes or form a loop with little loss of load capacity. In solar bracing applications, the LG-3 provides a very quick, easy method to tie, brace, and tension solar racks.

In addition to high load capacity, the LG-3 utilizes patent pending Dynamic Vibration Arrest (DVA) technology. Engaged by tightening the lock-screw, a secondary clamp is positioned to pinch each wire against the case (in addition to the primary wire grip(s). This ensures the entire device vibrates in unison with the wire. Without DVA, in the case of wind or other vibration, a wire grip can shake loose, allowing the tie to fail. DVA prevents vibration failure. LG-3 grips provide the highest level of safety with the easiest installation and widest application portfolio of any gripping device.



Falcon LockGrip LG-3 provides a two way grip of 1/8" (3mm) wire rope for a variety of bracing applications.

Benefits and Uses of the LockGrip Tensioner

- Squaring Tensile Brace
- Create Wire Rope Loop
- Couple Wire Ropes
- High-Load Capacity
- Vibration Resistance
- All Metal Construction
- Easily Adjustable
- Labor and Shipping Friendly


System Performance Loading Chart		
	Maximum Working Load	Safe Working Load (Max Working Load/1.3 Safety Factor
LG-3 with 1/8" Cable (Loop)	1,850 lbs*	1,425 lbs

^{*} Maximum load verified by independent, accredited third party testing, when used in conjunction with cable supplied by Western Green.


Flexible Bracing versus Rigid Bracing

Utilizing flexible bracing over traditional rigid systems can create a safe method to install solar racks while retaining structural integrity. Benefits include:

- Light-weight bracing that removes heavy framework, reducing installation time and costs.
- High-strength system that maintains structural integrity against active forces such as strong winds and temperature fluctuations.
- Easily adjustable on site and can be tensioned using simple tooks to engineered rack specifications.
- Green, eco-friendly application reducing carbon footprint of the full system.



Example of traditional rigid solar rack bracing. Utilizing flexible bracing can have many added benefits on total system costs.



Bracing of a solar rack with a pair of Falcon cable braces utilizing the 2-way grip of the LG-3 tensioner. The LG-3 tensioner can be used to tension wire in many applications including but not exclusive to the solar installation applications. Once tightened the LG-3 can be set with the adjustable screw. If you need to adjust at a future time, the LG-3 can be re-set without needing to cut the cable. Cable bracing may include cross bracing of back legs (top) or front to back leg bracing (hottom).



FALC®N LOCK GRIP™

Installation Made Easy with Falcon LockGrip™

The Falcon LockGrip LG-3 tensioner can be used in a variety of configurations for different applications. The two, one-way grips are designed to allow adjustable grip locking by activating and setting the dynamic vibration arrest (DVA) feature. The grip can be used to couple cables together or form a loop, allowing the cable to be passed through/around a lash point to fix structures/assemblies. Once the cable(s) have been passed through the grip, the DVA is engaged by twisting the set screw. Once completed, the wire is clamped to the case of the grip, keeping the grip from vibrating independent of the cable in windy conditions.

The tensioning of the Falcon LockGrip LG-3 can done by several methods including by hand or with the use of manufacturers' suggested wire tensioning tool. The wire cable should be tensioned to the engineered rack specifications.

Follow the QR code to see the Falcon LockGrip LG-3 in action on a solar rack bracing application, and see our full LG-3 installation guide for step-by-step instructions on setting, tensioning, and adjusting the LG-3 tensioner.





SCAN QR CODE For Full Installation Video

















LOCATIONS & CONTACT INFO

ASP ENTERPRISES

aspent.com

salesasp@aspent.com

St. Louis, MO 636.343.4357

Kansas Citv. MO 816.554.1191

402.861.8579 Wichita, KS

Omaha, NE

316.393.1554 970.535.0863

BOWMAN CONSTRUCTION SUPPLY

bowmanconstructionsupply.com

salesbcs@bowmanconstructionsupply.com salesquick@quicksupplyco.com

Denver, CO Colorado Springs, CO

303.696.8960 719.257.7840 Loveland, CO

OUICK SUPPLY CO.

quicksupplyco.com

Des Moines, IA 515.289.1271

CASCADE GEOSYNTHETICS

cascadegeos.com

salescascade@cascadegeos.com

Portland, OR 971.339.1020

SOLUTIONS WE SUPPLY

GEOSYNTHETICS

Filter Fabrics

Stabilization Fabrics

Geogrids

- Road Grids
- Wall Grids
- Slope Stabilization

Specialty Fabrics

Composite Geomembranes

• GCLs, PVC, HDPE, LLDPE, EPDM, Granular Bentonite

SEDIMENT CONTROL

Inlet Protection

· Grated Inlet, Curb Inlet, Area Inlet Protection

Ditch Checks

- · Triangle Silt Dike
- GeoRidge

Perimeter Protection

- · High and Low-Porosity Silt Fence, Straw Wattles, Silt Socks
- Safety Fence

Flocculants & Water Treatment

Polymer-Based & Natural Flocculants

Sediment Basin Skimmers

Dewatering Bags

Trackout Control

- FODS
- Rumble Grates

Turbidity Curtains

EROSION CONTROL

Basic Hydraulically Applied Mulches

- Wood
- Paper
- Blends
- Straw

High-Performance Hydraulically Applied Products

- FGM
- Additives & Tackifiers

Temporary Erosion Control Blankets

- Coir & Jute Mat/Nettings
- Short-Term ECBs
- Extended-Term ECBs

Permanent Erosion Control Blankets

- Turf Reinforcement Mats
- HP-TRMs
- Anchor Reinforced Vegetation System

Structural BMPs

- Transition Mats
- Geoweb Cellular Confinement
- Composite Vegetated Armor System
- Flex MSE Vegetated Wall System
- Articulated Concrete Block
- Gabions
- · Grout-Filled Geotextile Mats

Vegetation Establishment

- · Native Seed & Turf Seed
- Fertilizers
- · Organic Soil Additives
- Stratavault Soil Cells

STORMWATER MANAGEMENT

Water Quality

- Inlet Filter Boxes
- Pre-Treatment Chamber
- Nutrient Separating Baffle Boxes
- · High-Flow Biofiltration Media
- · Hydrodynamic Separators
- Stratavault

Water Ouantity

- · Modular Underground Storage Systems
- Chamber Detention Systems

Drainage

- HDPE Swale Liner
- Pipe & Fittings
- · Drainage Composites
- Strip Drain

Inlet Structures

- PVC
- · Drain Basins, In-Line Drains
- Landscape

Permeable Pavers

- Permeable Articulating Concrete Block
- Grass Pavers
- · Gravel Pavers
- Concrete Pavers

SPECIALTY

Natural & Synthetic Coir Fiber Logs **Vegetated Reinforced Soil Slopes** Soil Anchors **Root Barrier System** AquaBlok Muscle Wall

We are full line distributors of construction materials for all project types. Contact us for assistance with a project. From specification and development to installation and completion, we're here to help with all of your site solution needs.