

SECTION 1: IDENTIFICATION

Other Means of Identification: CretePRO™ ULTRA Waterproofing Agent,
CretePRO™ ULTRA PLUS Waterproofing Agent,
CretePRO™ FasTrac

Product Type: Modified subsurface waterproofing

Product Number: CPD-250005, CPD-250055, CPD-2500275, CPD-U005, CPD-U055, CPD-U275, CPD-FST005, CPD-FST055, & CPD-FST275

Identified Uses: Concrete waterproofing

Supplier / Manufacturer: MBC North America Inc.™ dba Alchemco®
3532 Mayland Court, Henrico, VA 23233
800-601-2895

Emergency Telephone Number: +1-800-424-9300 24 hours



SECTION 2: HAZARD(S) IDENTIFICATION

Hazard Classification: Skin Irritant 2, Eye irritant 2

Signal Word(s): Warning

Hazard Statements: Acute toxicity-oral: Category 5
HS85: May be harmful if swallowed
H335: May cause respiratory irritation
HS315: May be harmful in contact with skin
H320: May cause eye irritation

Pictograms:



Precautionary Statements: P262 Do not get in eyes P264 Wash contaminated skin thoroughly after handling P27 Do not eat, drink or smoke when using this product.

Description of other hazards: Not otherwise classified

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

Substance/Mixture: Proprietary Ingredient

CAS Number / Other Identifiers: #1344-09-08

CHEMICAL NAME	SYNONYM	CAS#	CONCENTRATION %
Proprietary Ingredient	None	Proprietary Ingredient	5-40%
Water (H ₂ O)	None	7732-18-5	5-60%

Any concentration shown as a range is to protect confidentiality or is due to batch variation. There are no additional ingredients present which, with the current knowledge of the supplier and in the concentrations applicable are classified as hazardous to health or the environment and hence require reporting in this section. Occupational exposure limits, if available, are listed in Section 8.

Version 2.0 12062024

© Copyright December 6, 2024 MBC North America Inc.™ dba Alchemco®. All Rights Reserved
3532 Mayland Court, Henrico, VA 23233 | 800-610-2895 | www.alchemco.com



MBC North America Inc.™, dba Alchemco®, provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. MBC North America Inc.™, dba Alchemco®, MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS. ACCORDINGLY, MBC North America Inc.™, dba Alchemco®, WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM THE USE OF OR RELIANCE UPON THIS INFORMATION.

SECTION 4: FIRST AID MEASURES

This product is an Alkaline, it can be irritating to the eyes and skin. The toxicity of this product is dependent on the silica to alkali ratio and on the pH. Obtain immediate medical attention.

After skin contact:	Wash affected skin with plenty of water. If symptoms develop, obtain medical attention.
After eye contact:	Irrigate with eyewash solution or clean water, holding the eyelids apart, for at least 15 minutes. Obtain immediate medical attention.
After inhalation:	Remove patient from exposure, keep warm and at rest. Obtain medical attention.
After swallowing	Do not induce vomiting. Wash out mouth with water and give 200-300 ml (half a pint) of water to drink. Obtain medical attention.

SECTION 5: FIRE FIGHTING MEASURES

Suitable extinguishing agents:	Compatible with all standard fire fighting techniques.
Special Protective equipment for firefighters:	Not applicable. Aqueous solution. Non-combustible.
Advice for fire-fighters:	None

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions:	Wear suitable protective clothing. Wear eye/face protection
Measures for environmental protection:	Do not allow to enter drains, sewers or watercourses. Advise Authorities if spillage has entered water course or sewer or has contaminated soil or vegetation.
Measures for cleaning / collecting:	Caution - spillages may be slippery. Contain spillages with sand, earth or any suitable adsorbent material. Transfer to a container for disposal or recovery.

SECTION 7: HANDLING AND STORAGE

Handling:	Avoid contact with eyes, skin and clothing. Avoid generation of mist. Provide adequate ventilation. Emergency shower and eye wash facilities should be readily available.
Storage:	Store in a cool dry environment. Keep at temperature not exceeding 122 °F (50 °C). Provide adequate bund wall. See also section 10.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Substance	Occupational Exposure Limits
Proprietary Ingredient:	No Occupational Exposure limit assigned. An exposure limit of 2 mg/m ³ (15 min TWA) is recommended.
Appropriate engineering controls:	Engineering methods to prevent or control exposure are preferred. Methods include process or personnel enclosure, mechanical ventilation (dilution and local exhaust), and control of process conditions.
Breathing equipment:	Respiratory protection not normally required. Advice on respiratory protective equipment is given in the HSE (Health and Safety Executive) publication HS(G)53.
Eye/Face Protection:	Chemical goggles (En166)



Version 2.0 12062024

© Copyright December 6, 2024 MBC North America Inc.™ dba Alchemco®. All Rights Reserved
3532 Mayland Court, Henrico, VA 23233 | 800-610-2895 | www.alchemco.com

2

MBC North America Inc.™, dba Alchemco®, provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. MBC North America Inc.™, dba Alchemco®, MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS. ACCORDINGLY, MBC North America Inc.™, dba Alchemco®, WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM THE USE OF OR RELIANCE UPON THIS INFORMATION.

Skin Protection: Wear suitable protective clothing and gloves. Plastic or rubber gloves. For example EN374-3, level 6 breakthrough time (>480min). Wear suitable overalls.

Environmental Exposure Controls: The primary hazard is alkalinity. Avoid release to the environment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Form:	Liquid. Almost colorless
Odor:	Odorless
Odor threshold:	Not applicable
pH:	Alkaline
Melting pint / melting range:	Not Applicable
Boiling point / boiling range:	212°F (100 °C)
Flash point:	Not applicable
Evaporation rate:	Not Applicable
Flammability:	Not Applicable
Explosive limits:	Not Applicable
Auto ignition temperature:	Not Applicable
Danger of explosion:	Not Applicable
Vapor pressure:	Not Applicable
Vapor density:	Not Applicable
Relative density:	Not Applicable
Solubility in / miscibility with water:	No Data

SECTION 10: PHYSICAL AND CHEMICAL PROPERTIES

Reactivity:	See section below
Chemical Stability:	Stable
Possibility of Hazard:	When arc welding vessels containing aqueous solutions of this material, take care to control any explosion risk from hydrogen evolved by electrolysis. Aqueous solutions will react with aluminum, zinc, tin and their alloys evolving hydrogen gas which can form an explosive mixture with air. Can react violently if i contact with acids. Can react with sugar residues to form carbon monoxide.
Conditions to avoid:	See section above
Incompatible Materials:	See section above
Hazardous decomposition products:	None known.

SECTION 11: TOXICOLOGY INFORMATION

Skin:	Material will cause irritation. Dermal LD50 (rat) >5000 mg/kg bw
Inhalation:	Mist is irritant to the respiratory tract. All symptoms of acute toxicity are due to high alkalinity. Inhalation LC50 (rat) >2.06 g/m ³
Eyes:	Material will cause irritation.
Ingestion:	All symptoms of acute toxicity are due to high alkalinity. Material will cause irritation. Oral LD50 (rat) 3400 mg/kg bw
Carcinogenic effects:	No structural alerts
Mutagenic effects:	No structural alerts.
Reproductive toxicity:	No evidence of reproductive toxicity or developmental toxicity.
Sensitization:	Not sensitizing.
Aspiration Hazard:	Not classified

SECTION 12: ECOLOGICAL INFORMATION (NON-MANDATORY)

Eco toxicity:	Fish (Brachydanio rerio) LC50 (96 hour) 1108 mg/l Aquatic invertebrates: (Daphnia magna) EC50 (48 hour) 1700 mg/l
Mobility:	Not applicable
Biodegradation:	Inorganic. Soluble silicates, upon dilution, rapidly depolymerise into molecular species indistinguishable from natural dissolved
Bio accumulation:	The alkalinity of this material will have a local effect on ecosystems sensitive to changes in pH.

SECTION 13: DISPOSAL CONSIDERATIONS (NON-MANDATORY)

Dispose of this material and its container to hazardous or special waste collection point. This material is classified as hazardous waste under EC Directive 2008/98/EC. This material is classified as hazardous waste under the Hazardous Waste (England and Wales) Regulations SI 2005 No. 894. This material is classified as hazardous waste under the Hazardous Waste (England and Wales) Regulations SI 2005 No. 894. Disposal should be in accordance with local, state or national legislation.

SECTION 14: TRANSPORTATION INFORMATION (NON-MANDATORY)

Not classified according to the United Nations 'Recommendations on the Transport of Dangerous Goods'. Not classified as hazardous under DOT or US Transport Recommendations. International Maritime Dangerous Goods (IMDG) Code: Not classified as hazardous

D.O.T. regulations:	Not applicable
Hazard Class:	Not applicable
Land transport ADR /RID (cross border):	Not applicable
ADR / RID class:	Not applicable
Maritime transport IMDG:	Not classified as a Marine Pollutant
Air transport ICAO-TI and IATA-DGR:	Not applicable



Version 2.0 12062024

© Copyright December 6, 2024 MBC North America Inc.™ dba Alchemco®. All Rights Reserved
3532 Mayland Court, Henrico, VA 23233 | 800-610-2895 | www.alchemco.com

4

MBC North America Inc.™, dba Alchemco®, provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. MBC North America Inc.™, dba Alchemco®, MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS. ACCORDINGLY, MBC North America Inc.™, dba Alchemco®, WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM THE USE OF OR RELIANCE UPON THIS INFORMATION.

SECTION 15: REGULATORY INFORMATION (NON-MANDATORY)

TSCA Inventory Status:	Reported/Included
AICS Inventory Status:	Reported/Included
DSL/NDSL Inventory Status:	Reported/Included. SARA TITLE III: Not an Extremely Hazardous Substance under §302. Not a Toxic Chemical under §313. Hazard Categories under §§311/312: Acute
Chemical Safety Assessment:	Information available upon request.

SECTION 16: OTHER INFORMATION

Date of Issue:	12/06/2024
Version:	2.0
Supersedes:	All previously issued dates
Prepared by:	Alchemco® Compliance Department

Liability Disclaimer:

This Safety Data Sheet (SDS) is for guidance and is based upon information believed to be reliable. The data should not be confused with local, state, federal, or insurance mandates, regulations, or requirements and CONSTITUTE NO WARRANTY. The conditions or methods of handling, storage, use, and disposal of the product(s) described are beyond the control of Alchemco® and may be beyond our knowledge. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE, OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE, OR DISPOSAL OF THESE PRODUCTS.

Warranty Disclaimer:

Alchemco® disclaims liability, under any theory of law, arising out of the installation and performance of, or damages sustained by, or caused by products not furnished by Alchemco® or any prior existing material. The remedies provided are the sole and exclusive remedies for failure of the products. Warranties issued by Alchemco® are expressly in lieu of any other warranties, express or implied, including any implied warranties of merchantability or fitness for a particular purpose. Alchemco® shall have no liability under any theory of law for any claims, repairs, restoration, or other damages, including, but not limited to, consequential or incidental damages, relating directly or indirectly to the presence of any irritants, contaminants, vapors, fumes, or the like in any building or in the air, land, or water serving any building. No representative of Alchemco® has the authority to make any representations or promises except as stated in the published warranty.

Version 2.0 12062024

© Copyright December 6, 2024 MBC North America Inc.™ dba Alchemco®. All Rights Reserved
3532 Mayland Court, Henrico, VA 23233 | 800-610-2895 | www.alchemco.com

5



MBC North America Inc.™, dba Alchemco®, provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. MBC North America Inc.™, dba Alchemco®, MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS. ACCORDINGLY, MBC North America Inc.™, dba Alchemco®, WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM THE USE OF OR RELIANCE UPON THIS INFORMATION.



Bowman
Construction
Supply Inc.



Quick
Supply Co.



Cascade
GEOSYNTHETICS

LOCATIONS & CONTACT INFO

ASP ENTERPRISES

aspent.com
salesasp@aspent.com

BOWMAN CONSTRUCTION SUPPLY

bowmanconstructionsupply.com
salesbcs@bowmanconstructionsupply.com

QUICK SUPPLY CO.

quicksupplyco.com
salesquick@quicksupplyco.com

CASCADE GEOSYNTHETICS

cascadegeos.com
salescascade@cascadegeos.com

St. Louis, MO 636.343.4357
Omaha, NE 402.861.8579
Kansas City, MO 816.554.1191
Wichita, KS 316.393.1554

Denver, CO 303.696.8960
Colorado Springs, CO 719.257.7840
Loveland, CO 970.535.0863

Des Moines, IA
515.289.1271

Portland, OR
971.339.1020

SOLUTIONS WE SUPPLY

GEOSYNTHETICS

Filter Fabrics

Stabilization Fabrics

Geogrids

- Road Grids
- Wall Grids
- Slope Stabilization

Specialty Fabrics

Composite Geomembranes

- GCLs, PVC, HDPE, LLDPE, EPDM, Granular Bentonite

SEDIMENT CONTROL

Inlet Protection

- Grated Inlet, Curb Inlet, Area Inlet Protection

Ditch Checks

- Triangle Silt Dike
- GeoRidge

Perimeter Protection

- High and Low-Porosity Silt Fence, Straw Wattles, Silt Socks
- Safety Fence

Flocculants & Water Treatment

- Polymer-Based & Natural Flocculants

Sediment Basin Skimmers

Dewatering Bags

Trackout Control

- FODS
- Rumble Grates

Turbidity Curtains

EROSION CONTROL

Basic Hydraulically Applied Mulches

- Wood
- Paper
- Blends
- Straw

High-Performance Hydraulically

Applied Products

- BFM
- FGM
- Additives & Tackifiers

Temporary Erosion Control Blankets

- Coir & Jute Mat/Nettings
- Short-Term ECBs
- Extended-Term ECBs

Permanent Erosion Control Blankets

- Turf Reinforcement Mats
- HP-TRMs
- Anchor Reinforced Vegetation System

Structural BMPs

- Transition Mats
- Geoweb Cellular Confinement
- Composite Vegetated Armor System
- Flex MSE Vegetated Wall System
- Articulated Concrete Block
- Gabions
- Grout-Filled Geotextile Mats

Vegetation Establishment

- Native Seed & Turf Seed
- Fertilizers
- Organic Soil Additives
- Stratavault Soil Cells

STORMWATER MANAGEMENT

Water Quality

- Inlet Filter Boxes
- Pre-Treatment Chamber
- Nutrient Separating Baffle Boxes
- High-Flow Biofiltration Media
- Hydrodynamic Separators
- Stratavault

Water Quantity

- Modular Underground Storage Systems
- Chamber Detention Systems

Drainage

- HDPE Swale Liner
- Pipe & Fittings
- Drainage Composites
- Strip Drain

Inlet Structures

- PVC
- Drain Basins, In-Line Drains
- Landscape

Permeable Pavers

- Permeable Articulating Concrete Block
- Grass Pavers
- Gravel Pavers
- Concrete Pavers

SPECIALTY

Natural & Synthetic Coir Fiber Logs

Vegetated Reinforced Soil Slopes

Soil Anchors

Root Barrier System

AquaBlok

Muscle Wall

We are full line distributors of construction materials for all project types. Contact us for assistance with a project. From specification and development to installation and completion, we're here to help with all of your site solution needs.

GEOSYNTHETICS | EROSION CONTROL | STORMWATER MANAGEMENT
SEDIMENT CONTROL | REVEGETATION & SOIL AMENDMENTS